

# **Safety Data Sheet**

Issue Date: 08-Nov-2011 Revision Date: 18-Sep-2015 Version 1

## 1. IDENTIFICATION

**Product Identifier** 

Product Name T0182 Colorguard CT

Other means of identification

**SDS #** TL-013

UN/ID No UN1824

Recommended use of the chemical and restrictions on use

Recommended Use Water Treatment.

Details of the supplier of the safety data sheet

**Supplier Address** 

Team Laboratory Chemical Corp. 28650 State Hwy 34 Detroit Lakes, MN 56501

**Emergency Telephone Number** 

Company Phone Number 218-846-9490

Emergency Telephone (24 hr) INFOTRAC 1-352-323-3500 (International)

1-800-535-5053 (North America)

## 2. HAZARDS IDENTIFICATION

Appearance Clear liquid Physical State Liquid Odor Odorless

#### Classification

Skin corrosion/irritation	Category 1 Sub-category B
Serious eye damage/eye irritation	Category 1

#### Signal Word Danger

## **Hazard Statements**

Causes severe skin burns and eye damage



## **Precautionary Statements - Prevention**

Do not breathe dust/fume/gas/mist/vapors/spray Wash face, hands and any exposed skin thoroughly after handling Wear protective gloves/protective clothing/eye protection/face protection

TL-013 - **T-0182 Colorguard CT**Revision Date: 18-Sep-2015

#### **Precautionary Statements - Response**

Immediately call a poison center or doctor/physician

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a poison center or doctor/physician

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

Wash contaminated clothing before reuse

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Immediately call a poison center or doctor/physician IF SWALLOWED: Rinse mouth. Do NOT induce vomiting

#### **Precautionary Statements - Storage**

Store locked up

#### **Precautionary Statements - Disposal**

Dispose of contents/container to an approved waste disposal plant

#### **Other Hazards**

Harmful to aquatic life with long lasting effects

## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	CAS No	Weight-%
Caustic Soda	1310-73-2	<5
Sodium Molybdate	10102-40-6	<5

<sup>\*\*</sup>If Chemical Name/CAS No is "proprietary" and/or Weight-% is listed as a range, the specific chemical identity and/or percentage of composition has been withheld as a trade secret.\*\*

## 4. FIRST-AID MEASURES

#### **First Aid Measures**

**General Advice** Provide this SDS to medical personnel for treatment.

Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a poison center or

doctor/physician.

Skin Contact IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin

with water/shower. Wash contaminated clothing before reuse. Immediately call a poison

center or doctor/physician.

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. Immediately call a poison center or doctor/physician.

Ingestion IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Immediately call a poison center

or doctor/physician.

#### Most important symptoms and effects

Symptoms Causes severe skin burns and eye damage. Can cause irritation and burns to respiratory

tract. Will cause burns to mouth, throat, and stomach as well as severe abdominal pain.

## Indication of any immediate medical attention and special treatment needed

Notes to Physician Treat symptomatically.

## 5. FIRE-FIGHTING MEASURES

#### Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media Product generates heat upon addition of water with possible spattering.

## **Specific Hazards Arising from the Chemical**

Material is corrosive.

Hazardous Combustion Products Carbon oxides, Sulfur oxides,

#### Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

## 6. ACCIDENTAL RELEASE MEASURES

#### Personal precautions, protective equipment and emergency procedures

Personal Precautions Use personal protective equipment as required. Ensure adequate ventilation, especially in

confined areas. Evacuate personnel to safe areas. Only trained and properly protected

personnel must be involved in clean-up operations.

**For Emergency Responders** Corrosive hazard. Wear protective gloves/clothing and eye/face protection.

**Environmental Precautions** Prevent from entering into soil, ditches, sewers, waterways and/or groundwater. See

Section 12, Ecological Information. See Section 13: DISPOSAL CONSIDERATIONS.

#### Methods and material for containment and cleaning up

Methods for Containment Prevent further leakage or spillage if safe to do so. Prevent entry into waterways, sewer,

basements or confined areas.

Methods for Clean-Up

Do not flush to sewer. Neutralize with dilute solution of vinegar or citric acid. Cover liquid

spill with sand, earth or other non-combustible absorbent material. Pick up and transfer to

properly labeled containers.

## 7. HANDLING AND STORAGE

#### Precautions for safe handling

Advice on Safe Handling Handle in accordance with good industrial hygiene and safety practice. Avoid contact with

skin, eyes or clothing. Wear protective gloves/protective clothing and eye/face protection. Do not breathe dust/fume/gas/mist/vapors/spray. Wash face, hands, and any exposed skin

thoroughly after handling. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

Storage Conditions Keep container tightly closed and store in a cool, dry and well-ventilated place. Keep out of

the reach of children. Store locked up.

**Incompatible Materials** None known based on information supplied.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Exposure Guidelines** 

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Caustic Soda	Ceiling: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	IDLH: 10 mg/m <sup>3</sup>
1310-73-2		(vacated) Ceiling: 2 mg/m <sup>3</sup>	Ceiling: 2 mg/m <sup>3</sup>
Sodium Molybdate	TWA: 0.5 mg/m <sup>3</sup> Mo respirable	TWA: 5 mg/m <sup>3</sup> Mo	IDLH: 1000 mg/m <sup>3</sup> Mo
10102-40-6	fraction	(vacated) TWA: 5 mg/m <sup>3</sup> Mo	-

#### **Appropriate engineering controls**

**Engineering Controls** Apply technical measures to comply with the occupational exposure limits. Showers.

Eyewash stations. Ventilation systems.

## Individual protection measures, such as personal protective equipment

Eye/Face Protection Tight sealing safety goggles. Refer to 29 CFR 1910.133 for eye and face protection

regulations.

**Skin and Body Protection** Impervious gloves and protective clothing are recommended. Refer to 29 CFR 1910.138 for

appropriate skin and body protection.

Respiratory Protection If exposure limits are exceeded or irritation is experienced, NIOSH/MSHA approved

respiratory protection should be worn. Positive-pressure supplied air respirators may be required for high airborne contaminant concentrations. Respiratory protection must be provided in accordance with current local regulations. Refer to 29 CFR 1910.134 for

respiratory protection requirements.

General Hygiene Considerations Handle in accordance with good industrial hygiene and safety practice. Wash contaminated

clothing before reuse. Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

Physical StateLiquidOdorOdorlessAppearanceClear liquidOdor ThresholdNot determinedColorClearOdor ThresholdNot determined

Property Values Remarks • Method

pH 12.2 100%

**Melting Point/Freezing Point** Not determined **Boiling Point/Boiling Range** >100 °C / >212 °F Flash Point Not flammable **Evaporation Rate** Not determined Flammability (Solid, Gas) Liquid- Not Applicable **Upper Flammability Limits** Not determined **Lower Flammability Limit** Not determined **Vapor Pressure** Not determined **Vapor Density** Not determined

Specific Gravity >1

Water Solubility Completely soluble Solubility in other solvents Not determined **Partition Coefficient** Not determined **Auto-ignition Temperature** Not determined **Decomposition Temperature** Not determined **Kinematic Viscosity** Not determined **Dynamic Viscosity** Not determined **Explosive Properties** Not determined Oxidizing Properties Not determined

VOC Content (%) 0%

## 10. STABILITY AND REACTIVITY

#### Reactivity

Not reactive under normal conditions.

## **Chemical Stability**

Stable under recommended storage conditions.

#### Possibility of Hazardous Reactions

None under normal processing.

Hazardous Polymerization

Hazardous polymerization does not occur.

#### **Conditions to Avoid**

See Sec. 7 Handling & Storage.

#### **Incompatible Materials**

None known based on information supplied.

#### **Hazardous Decomposition Products**

Carbon oxides. Sulfur oxides.

## 11. TOXICOLOGICAL INFORMATION

## Information on likely routes of exposure

**Product Information** 

**Eye Contact** Causes severe eye damage.

**Skin Contact** Causes severe skin burns.

**Inhalation** Do not inhale.

**Ingestion** Do not ingest.

**Component Information** 

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
1-Hydroxyethylidene-1,1- diphosphonic acid 2809-21-4	= 2400 mg/kg ( Rat )	> 7940 mg/kg ( Rabbit )	-
Caustic Soda 1310-73-2	-	= 1350 mg/kg ( Rabbit )	-
Sodium Polyacrylate 9003-04-7	> 40 g/kg (Rat)	-	-
Phosphorous acid 13598-36-2	= 1500 mg/kg ( Rat )	-	-

## Information on physical, chemical and toxicological effects

**Symptoms** Please see section 4 of this SDS for symptoms.

## Delayed and immediate effects as well as chronic effects from short and long-term exposure

**Carcinogenicity** Not classifiable as a human carcinogen.

**Numerical measures of toxicity** 

Not determined

Revision Date: 18-Sep-2015

## 12. ECOLOGICAL INFORMATION

#### **Ecotoxicity**

Harmful to aquatic life with long lasting effects.

## **Component Information**

Chemical Name	Algae/aquatic plants	Fish	Toxicity to	Crustacea
			microorganisms	
1-Hydroxyethylidene-1,1-		868: 96 h Lepomis		527: 48 h Daphnia magna
diphosphonic acid		macrochirus mg/L LC50		mg/L EC50
2809-21-4		static 360: 96 h		-
		Oncorhynchus mykiss mg/L		
		LC50 static		
Caustic Soda		45.4: 96 h Oncorhynchus		
1310-73-2		mykiss mg/L LC50 static		
Phosphorous acid		6980 - 9784: 96 h		
13598-36-2		Brachydanio rerio mg/L		
		LC50 static		

## Persistence/Degradability

Not determined.

## **Bioaccumulation**

Not determined.

## **Mobility**

Chemical Name	Partition Coefficient
1-Hydroxyethylidene-1,1-diphosphonic acid	3.49
2809-21-4	

#### **Other Adverse Effects**

Not determined

## 13. DISPOSAL CONSIDERATIONS

## **Waste Treatment Methods**

**Disposal of Wastes** Disposal should be in accordance with applicable regional, national and local laws and

regulations.

**Contaminated Packaging** Do not reuse container. Disposal should be in accordance with applicable regional, national

and local laws and regulations.

## California Hazardous Waste Status

Chemical Name	California Hazardous Waste Status
Caustic Soda	Toxic
1310-73-2	Corrosive

Revision Date: 18-Sep-2015

## 14. TRANSPORT INFORMATION

Note Please see current shipping paper for most up to date shipping information, including

exemptions and special circumstances. Based on package size, product may be eligible for

limited quantity exception.

DOT

**UN/ID No** UN1824

**Proper Shipping Name** Sodium hydroxide solution

**Hazard Class** 8 **Packing Group** Ш **Emergency Response Guide** 154

Number

IATA

UN/ID No UN1824

**Proper Shipping Name** Sodium hydroxide solution

**Hazard Class** 8 **Packing Group** П

**IMDG** 

UN/ID No UN1824

**Proper Shipping Name** Sodium hydroxide solution

**Hazard Class** 8 **Packing Group** Ш

**Marine Pollutant** This material may meet the definition of a marine pollutant

## 15. REGULATORY INFORMATION

#### **International Inventories**

Chemical Name	TSCA	DSL	NDSL	EINECS	ELINCS	ENCS	IECSC	KECL	PICCS	AICS
Caustic Soda	Present	Х		Present		Present	Х	Present	Х	Х
Sodium Molybdate						Present	Χ		Х	Х

#### Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

#### **US Federal Regulations**

#### **CERCLA**

Chemical Name	Hazardous Substances RQs	CERCLA/SARA RQ	Reportable Quantity (RQ)
Caustic Soda	1000 lb		RQ 1000 lb final RQ
1310-73-2			RQ 454 kg final RQ

Revision Date: 18-Sep-2015

#### **SARA 313**

Not determined

## **CWA (Clean Water Act)**

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Caustic Soda	1000 lb			Χ

#### **US State Regulations**

#### **California Proposition 65**

This product does not contain any Proposition 65 chemicals.

#### U.S. State Right-to-Know Regulations

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Caustic Soda 1310-73-2	X	X	X
Phosphorous acid 13598-36-2	X		

## **16. OTHER INFORMATION**

**Health Hazards** Flammability Instability **Special Hazards** NFPA

HMIS **Health Hazards Flammability Physical Hazards Personal Protection** 

Not determined Not determined Not determined Not determined

**Issue Date:** 08-Nov-2011 18-Sep-2015 **Revision Date: Revision Note:** New format

## Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**