Safety Data Sheet

#### **SECTION 1: Product and company identification**

Product name	: Team 89 Nut Buster
Use of the substance/mixture	: Lubricant.
Product code	: 8100
Company	: Team Laboratory Chemical Corporation PO Box 1467 Detroit Lakes, MN 56502-1467 - USA T (800) 522-8326
Emergency number	: Infotrac: 1-352-323-3500 (International) 1-800-535-5053 (North America)

#### **SECTION 2: Hazards identification**

2.1. Classification of the substance or	mixture
Classification (GHS-US)	
Flam. Aerosol 1 H222	
Carc. 2 H351 Asp. Tox. 1 H304	
Full text of H-phrases: see section 16	
Funcest of m-phrases. see section to	
2.2. Label elements	
GHS-US labeling	
GHS-05 labeling	
Hazard pictograms (GHS-US)	
	GHS02 GHS08
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Extremely flammable aerosol May be fatal if swallowed and enters airways Suspected of causing cancer
Precautionary statements (GHS-US)	Obtain special instructions before use Do not handle until all safety precautions have been read and understood Keep away from heat, hot surfaces, open flames, sparks No smoking Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Do NOT induce vomiting Store locked up

2.3. Other hazards
No additional information available

Wear eye protection, face protection, protective clothing, protective gloves

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F

Dispose of contents/container to comply with local/regional/national/international regulations

If swallowed: Immediately call a doctor, a POISON CENTER If exposed or concerned: Get medical advice/attention

#### 2.4. Unknown acute toxicity (GHS US)

#### Not applicable

#### **SECTION 3: Composition/information on ingredients**

#### 3.1. Substance

#### Not applicable

Full text of H-phrases: see section 16

#### 3.2. Mixture

Name	Product identifier	%	Classification (GHS-US)
tetrachloroethylene	(CAS No) 127-18-4	40 - 60	Not classified

## Safety Data Sheet

Name	Product identifier	%	Classification (GHS-US)
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics	(CAS No) 64742-47-8	20 - 40	Flam. Liq. 4, H227 Asp. Tox. 1, H304
CARBON DIOXIDE	(CAS No) 124-38-9	1 - 2.5	Compressed gas, H280

### **SECTION 4: First aid measures**

4.1. Description of first aid measure	6	
First-aid measures general	: IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.	
First-aid measures after inhalation	: Remove the victim into fresh air. Get medical advice/attention if you feel unwell.	
First-aid measures after skin contact	: Wash with water and soap. If skin irritation occurs: Get medical advice/attention.	
First-aid measures after eye contact	: Rinse immediately with plenty of water. If eye irritation persists: Get medical advice/attention.	
First-aid measures after ingestion	: Immediately call a poison center or doctor/physician. Rinse mouth. Do not induce vomiting. Vomiting prevent asphyxia/aspiration pneumonia.	
4.2. Most important symptoms and	ffects, both acute and delayed	
Symptoms/injuries	: May cause drowsiness or dizziness. Headache. Nausea. Irritation of the eye tissue. Irritation of the nasal mucous membranes. Irritation to throat.	
Symptoms/injuries after skin contact	: Irritation.	
Symptoms/injuries after ingestion	: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis. Risk of aspiration pneumonia.	

**4.3.** Indication of any immediate medical attention and special treatment needed Treat symptomatically. Symptoms may be delayed. Keep watching the victim.

<b>SECTION 5: Firefighting me</b>	asures
5.1. Extinguishing media	
Suitable extinguishing media	: Alcohol-resistant foam. Water fog. Dry chemical powder. Carbon dioxide.
Unsuitable extinguishing media	: Do not use a water jet since it may cause the fire to spread.
5.2. Special hazards arising from	the substance or mixture
Fire hazard	: Extremely flammable aerosol.
Explosion hazard	: Contents under pressure. Pressurized container: may burst if heated.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
5.3. Advice for firefighters	
Firefighting instructions	: Move containers away from the fire area if this can be done without risk. For massive fire in cargo area, use unmanned hose holder or monitor nozzles, if possible. If not, withdraw and let fire burn out. Use water spray or fog for cooling exposed containers.

SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures		
6.1.1. For non-emergency pers	onnel	
Protective equipment	: Do not enter without an appropriate protective equipment. DO NOT touch spilled material.	
Emergency procedures	: Evacuate unnecessary personnel. Ventilate spillage area. Advice local authorities if considered necessary.	

#### 6.1.2. For emergency responders

No additional information available

6.2. Environmental preca	autions			
Prevent runoff from entering	drains, sewers or waterways. Avoid	release to the environment.		
6.3. Methods and materia	al for containment and cleaning up	)		
For containment	spilled material. S		mbustibles (wood, paper, oil, etc.) av cylinder to a safe and open area if th	
Methods for cleaning up		prevent material damage. Prever al. Following product recovery, flue	nt dispersion by covering with non-co h area with water.	mbustible
6.4. Reference to other s	ections			
No additional information av	ailable			
Date of issue: 11/4/2015	Revision date: 05/15/2015	Version: 1.0	P GHS SDS	Page 2 of 7

Safety Data Sheet

SECTION 7: Handling and s	storage
7.1. Precautions for safe handlin	ng
Precautions for safe handling	: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or defective. Do not spray on a naked flame or any incandescent material. Do not smoke while handling product. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition Ground/bond container and receiving equipment. Avoid prolonged and repeated contact with skin. Use only outdoors or in a well-ventilated area.
Hygiene measures	: Wash thoroughly after handling. Use good personal hygiene practices.
7.2. Conditions for safe storage,	including any incompatibilities
Technical measures	<ul> <li>Pressurized container. Do not puncture, incinerate or crush. Take precautionary measures against static discharge.</li> </ul>
Storage conditions	: Store locked up. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.
Incompatible materials	: Open flame. Sources of ignition. Heat sources.
Storage area	: Aerosol 1.
Special rules on packaging	: meet the legal requirements.

#### **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

tetrachloroethylen	ie (127-18-4)		
ACGIH	ACGIH TWA (ppm)	25 ppm	
ACGIH	ACGIH STEL (ppm)	100 ppm	
ACGIH	Remark (ACGIH)	CNS impair	
CARBON DIOXIDE	(124-38-9)		
ACGIH	ACGIH TWA (ppm)	5000 ppm	
ACGIH	ACGIH STEL (ppm)	30000 ppm	
ACGIH	Remark (ACGIH)	Asphyxia	

#### 8.2. Exposure controls

Appropriate engineering controls

- : Ensure good ventilation of the work station. If exposure limits have not been established, maintain airborne levels to an acceptable level.
- Personal protective equipment
- Protective goggles. Protective clothing. Gloves. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



Materials for protective clothing	: chemical resistant apron.
Hand protection	: Protective gloves.
Eye protection	: Wear eye/face protection.
Respiratory protection	: In case of insufficient ventilation, wear suitable respiratory equipment. Full face piece respirator (organic vapors).
Thermal hazard protection	: Use appropriate personal protective equipment when risk assessment indicates this is necessary.
Consumer exposure controls	When using do not smoke. Use good personal hygiene practices. Wash hands immediately after handling the product. Take off contaminated clothing and wash before reuse. Keep away from food and drink.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties		
Physical state	: Liquid	
Appearance	: Aerosol.	
Odor	: No data available	
Odor threshold	: No data available	
pН	: No data available	

### Safety Data Sheet

Ourcey Data Onece	
Melting point	: No data available
Freezing point	: No data available
Boiling point	: 250.34 °F Estimated
Flash point	: 174.2 °F Estimated
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 1.25 g/cm <sup>3</sup>
Solubility	: No data available
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: 236 °C Estimated
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: < 20 cSt
Viscosity, dynamic	: No data available
VOC content	: 58.88 % Estimated

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Hazardous polymerization does not occur.

#### 10.4. Conditions to avoid

Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point.

#### 10.5. Incompatible materials

Strong oxidizing agents.

#### 10.6. Hazardous decomposition products

hydrogen chloride.

Acute toxicity

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

: Not classified

hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)			
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Literature)		
Skin corrosion/irritation	: Not classified		
Serious eye damage/irritation	: Not classified		
Respiratory or skin sensitization	: Not classified		
Germ cell mutagenicity	: Not classified		
Carcinogenicity	: Suspected of causing cancer.		
tetrachloroethylene (127-18-4)			
IARC group	2A - Probably Carcinogenic to Humans		
National Toxicology Program (NTP) Status	3 - Reasonably anticipated to be Human Carcinogen		

### Safety Data Sheet

Reproductive toxicity	:	Not classified
Specific target organ toxicity (single exposure)	:	Not classified
Specific target organ toxicity (repeated exposure)	1	: Not classified
Aspiration hazard		: May be fatal if swallowed and enters airways.
Symptoms/injuries after skin contact		: Irritation.
Symptoms/injuries after ingestion		: Swallowing the liquid may cause aspiration into the lungs with the risk of chemical pneumonitis. Risk of aspiration pneumonia.

### **SECTION 12: Ecological information**

12.1. Toxicity			
hydrocarbons, C11-C14, n-alkanes, i	soalkanes, cyclics, < 2% aromatics (64742-47-8)		
LC50 fish 1	> 100 mg/l (Pisces)		
EC50 Daphnia 1	> 100 mg/l (Invertebrata)		
Threshold limit algae 1 > 100 mg/l (Algae)			
12.2. Persistence and degradability         hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)			
Persistence and degradability     Readily biodegradable in water. Adsorbs into the soil.			
12.3. Bioaccumulative potential			
hydrocarbons, C11-C14, n-alkanes, isoalkanes, cyclics, < 2% aromatics (64742-47-8)			
Log Pow	6 - 8.2		
Bioaccumulative potential High potential for bioaccumulation (Log Kow > 5).			

SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
Waste treatment methods	<ul> <li>Collect and reclaim or dispose in sealed containers at licensed waste disposal site Contents under pressure. Do not puncture, incinerate or crush. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.</li> </ul>	
Waste disposal recommendations	: Dispose of contents/container to comply with local/regional/national/international regulations.	
Additional information	: Do not re-use empty containers. Handle empty containers with care because residual vapors are flammable.	

### **SECTION 14: Transport information**

### Safety Data Sheet

oulory Duta onoor	
DOT Packaging Exceptions (49 CFR 173.xxx)	: 306
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 75 kg
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 150 kg
DOT Vessel Stowage Location	: A
DOT Vessel Stowage Other	: 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division 14,126 - Segregation same as for Class 9, miscellaneous hazardous materials
Additional information	

Other information

: This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D utilizing the exception found at 49 CFR 173.306.

ADR	
No additional information available	
Transport by sea	
UN-No. (IMDG)	: UN1950
Proper Shipping Name (IMDG)	: Aerosols, flammable
Class (IMDG)	: 2.1 - Flammable gases
Subsidiary risks (IMDG)	: 6.1(PGIII)
EmS-No. (1)	: F-D, S-U
Air transport	
UN-No.(IATA)	: UN1950
Proper Shipping Name (IATA)	: Aerosols, flammable, containing substances in Division 6.1, Packing Group III
Class (IATA)	: 2.1 - Gases : Flammable
Packing group (IATA)	: III - Minor Danger
Subsidiary risks (IATA)	: 6.1(PGIII)

#### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

tetrachloroethylene	CAS No 127-18-4	40 - 60		
tetrachloroethylene (127-18-4)				
Listed on SARA Section 313 (Specific toxic chemical listings)				
RQ (Reportable quantity, section 304 of EPA's List of Lists)	100 lb			

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer and/or reproductive toxicity.

### SECTION 16: Other information

Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Asp. Tox. 1	Aspiration hazard Category 1
Carc. 2	Carcinogenicity Category 2
Compressed gas	Gases under pressure Compressed gas
Flam. Aerosol 1	Flammable aerosol Category 1
Flam. Liq. 4	Flammable liquids Category 4
H222	Extremely flammable aerosol
H227	Combustible liquid
H280	Contains gas under pressure; may explode if heated
H304	May be fatal if swallowed and enters airways

### Safety Data Sheet

H351		Suspected of causing cancer	
NFPA health hazard	:	2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury unless prompt medical attention is given.	2
NFPA fire hazard NFPA reactivity		<ul><li>2 - Must be moderately heated or exposed to relatively high temperature before ignition can occur.</li><li>0 - Normally stable, even under fire exposure conditions, and are not reactive with water.</li></ul>	2 0

#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.